



CATALOGUE 2023 | 1

1 CRANES

2 LIFTING BEAMS

3 SPREADER BEAMS

4 CLAMPS

5 LIFTING EQUIPMENT

6 MAN BASKETS

1

CRANES

UKTA*lift* - LIFTINGXPERTS jib crane

- WLL 63 KG – 3200 KG
- Outreach max. 6 m
- Slewing range max. 180°
- Classification EN 13001: hoisting class HC2, stability class S2
- Low profile jib arm, large lifting height
- Suitable for outdoor operations
- Finish: galvanized or white / orange painted



1

CRANES

UKTA*lift* - LIFTINGXPERTS underslung crane

- WLL 500 – 1000 – 2000 – 3200 – 6300 KG
- Span max. 10m
- Order as complete crane or as crane kit to build your own.
- Crane kit set includes all the components excl. crane girder
- Atex version available
- No welding, crane girder is bolted to the wheel boxes
- Standard wheel box sizes for HEB 160 – 180 – 200
- Finish: galvanized or white / orange painted




Beispielbild

1

CRANES

UKTA*lift* - LIFTINGXPERTS gantry crane

- WLL 500 – 6300 KG
- Span max. 10m
- Manuel or electric chain hoist
- Quick assembly
- Suitable for in / outdoor operation
- Finish: galvanized or white / orange painted




Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS lifting beam

- Type: LiftingXperts 1703
- WLL 8/6 – 12/10 – 18/12 – 25 Ton
- Length 2500 – 4250 mm
- According NEN EN 13155
- Finish: galvanized or white / orange painted



Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS small lifting beam

- Type: LiftingXperts 1701H standard
- WLL 500 – 800 KG
- Length 200 – 800 mm
- According NEN EN 13155
- Finish: white / orange painted



Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS container lifting beam

- Type: 1701A_35-20 ft 2 legged
- WLL up to 35 Ton
- Suitable for 20 & 40 Ft containers
- According NEN EN 13155
- Finish: white / orange painted



Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS container lifting beam

- Type: 1701A_35-20 ft middle eye master link / shackle
- WLL up to 35 Ton
- Suitable for 20 & 40 Ft containers
- According NEN EN 13155
- Finish: white / orange painted




Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTING**X**PERTS container lifting beam

- Type: 1701**A**_35-20 ft middle eye direct
- WLL up to 35 Ton
- Suitable for 20 & 40 Ft containers
- According NEN EN 13155
- Finish: white / orange painted



Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS multi lug

- Type: 1701D multi lug
- WLL up to 800 Ton
- Standard lengths: 2500 – 5000 – 6000mm
- According NEN EN 13155
- Finish: white / orange painted




Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS modu lifting beam

- Type: 1701**C**
- WLL: 1000 – 3000 – 6000 – 10.000 – 15.000 – 20.000 KG
- Standard lengths: 3000 – 6000mm
- According NEN EN 13155
- Finish: white / orange painted



Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS lifting beam

- Type: 1701E
- WLL up to 35 Ton
- Standard lengths: 2500 – 4000 – 5000 – 6000mm
- According NEN EN 13155
- Finish: white / orange painted




Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTINGXPERTS lifting beam

- Type: 1701**G**
- WLL up to 35 Ton
- Standard lengths : 2500 – 4000 – 5000 – 6000mm
- According NEN EN 13155
- Finish: white / orange painted



Beispielbild

2

LIFTING BEAMS

UKTA*lift* - LIFTING**X**PERTS lifting beam

- Type: 1715 big bag lifting
- WLL up to 2.5 Ton
- Material: steel or stainless steel version
- According NEN EN 13155
- Finish: white / orange painted



Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS spreader

- Type LiftingXperts 1702B
- WLL 5 – 10 – 25 – 50 – 60 – 100 Ton
- Length: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted or galvanized




Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS spreader

- Type: 1702**A**
- WLL up to 1000 Ton
- Lengths: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted




Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS spreader

- Type: 1702A
- WLL up to 2 T
- Lengths: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted



Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS spreader

- Type: 1702C
- WLL up to 6 T
- Lengths: 2500 – 4150 mm
- According NEN EN 13155
- Finish: white / orange painted or galvanized




Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS spreader

- Type: 1702**K**
- WLL up to 50 T
- Material: steel or aluminium
- Lengths: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted or galvanized




Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS spreader

- Type: 1717
- WLL up to 500 Ton
- Material: steel
- Lengths: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS triangle

- Type: 1717**T**
- WLL up to 500 Ton
- Material: steel
- Lengths: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

3

SPREADERS

UKTA*lift* - LIFTINGXPERTS lifting frame

- Type: 1718F
- WLL up to 50 Ton
- Lengths: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

4

CLAMPS

UKTA*lift* - LIFTING**X**PERTS clamp

- Type: LiftingXperts 1704**B** universal roof panel clamp
- WLL 600 KG
- Hand hydraulic pump or electronic hydraulic pump with radio remote control
- Adjustable from 800 – 1250mm
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

4

CLAMPS

UKTA*lift* - LIFTINGXPERTS clamp

- Type: LiftingXperts 1704A concrete floor clamp
- WLL 5.000 KG set of clamps / spreader beam 10.000 KG
- Length adjustable from 2000 – 5400 mm
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

5

LIFTING EQUIPMENT

UKTA lift - LIFTINGXPERTS C- Hook

- Type: LiftingXperts 1707C- hook
- WLL: according to your measurements
- Lengths: according to your measurements
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

5

LIFTING EQUIPMENT

UKTA lift - **LIFTINGXPERTS** lifting equipment

- Type: LiftingXperts 1799M material skip
- WLL: 375 L – 500 L – 1000 L – 1500 L – 2000 L
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

5

LIFTING EQUIPMENT

UKTA *lift* - **LIFTINGXPERTS** lifting equipment

- Type: LiftingXperts 1799LK Lifting key for concrete floors
- WLL: 3600 KG a set
- According NEN EN 13155
- Finish: galvanized




Beispielbild

5

LIFTING EQUIPMENT

UKTA*lift* - LIFTING**X**PERTS lifting equipment

- Type: LiftingXperts 1710H vacuum lifting equipment
- WLL :
- According NEN EN 13155
- Finish: white / orange painted or galvanized



Beispielbild

6

MAN BASKETS

UKTA*lift* - LIFTINGXPERTS man basket

- Type: LiftingXperts 1706 man basket
- WLL: 1 – 2 – 3 persons
- According NEN EN 14502 – 1
- Finish: white / orange painted or galvanized



Beispielbild



CONTACT

c.nienaber@kloska.com

Tel : +49 (0) 421 985017 - 50

Uwe Kloska GmbH

Hydraulik + Hebetchnik

Tillmannstr. 9

28239 Bremen

Germany